

# MORBARK

# Model 22&30

**POWERFUL TOOLS  
DESIGNED FOR  
POWERFUL PEOPLE...**



**OBM**tec  
ONS BELANG MECHANISATIE B.V.



# Chiparvestor




***"Turn your wood waste into a valuable end product..."***

Having established the standard in whole tree chipping equipment over the past 4 to 5 decades, Morbark maintains that high standard with the Models 22RXL and 30RXL Total Chiparvestors. In terms of productivity, chip quality and return on investment, these units are clearly recognized as the best whole tree chippers money can buy.

With Morbark's patented three-wheel feed system and infeed beds, wood flow is synchronized and fed to the chippers at controlled rate, producing uniform high quality chips.

Morbark Chiparvestors are superior in several categories, including ease of transport, strength and durability, hydraulic system functions and overall quality control. The infeed area is constructed from T-1 steel for more strength and longer life with less weight. From improved painting process and ultrasonic testing of chipper disc to in-depth final inspection by an independent team, Morbark's commitment to quality control is evident in the Models 22RXL and 30RXL. The Chiparvestors have a lot of standard features like: 30" (762 mm) wide chain infeed bed, three wheel hydraulic feed system, dirt separator with deflector and quick change, hydraulic swivel/telescoping discharge spout, hydraulic tilting operator's cab, Morbark 1000 knuckleboom loader, joystick control, rear stabilizers and so on. Furthermore the are several options to choose from: Reversing fan, four or six knife chipper disc in lieu of three, electronic RPM sensor, choice of engine and horse power, choice of clutch: PT tech or Twin Disc, wet or dry, spout extension for to load open top vans, halogen light package etc. Both Models also come as a NCL version, without cab, loader and chain infeed, instead it has a four wheel hydraulic feed system and a radio remote control.





## Technical details...

The Morbark 22RXL and 30RXL that OBMtec BV sells on the European market are quite different than the USA version, we make a lot of changes like:

- Tri-axle configuration, with air brakes, European approved axles, bicycle bars, lights all conform European road regulations.
- Longer chain infeed bed with side walls for better containment of the wood.
- European Loader for more speed for processing of shorter logs.
- Hydraulic lifting European cab for more comfort.
- Guarding on shafts, belts and high pressure hosing (where operator may be starting the machine and or operating a valve) to meet CE regulations.
- Emergency stops on all 4 corners of the machine
- Sy-klone precleaners.
- Knife changing platform.



Details:	Model 22	Model 30
Power	up to 1050 HP	up to 1200 HP
Chipper disc diameter	75" (1.905 mm)	83" (2.108 mm)
Max. chipping capacity	Ø 22" (559 mm)	Ø 30" (762 mm)
Chip sizes	16 - 50 mm	16 - 50 mm
Fuel tank capacity	1.500 ltr	1.500 ltr
Hydr. oil tank capacity	1.100 ltr	1.100 ltr
Machine width	max. 3 m	max. 3 m
Machine height	max. 4,2 m	max. 4,2 m
Machine weight	up to 38 ton	up to 39 ton
Machine length	up to 12,65 m	up to 12,65 m



# Dealer:



## OBMtec BV

Franklinstraat 9;  
9285 WT Buitenpost (NL)  
T: +31 (0) 5 11 - 42 45 55  
F: +31 (0) 5 11 - 42 39 63  
E: [info@obmtec.com](mailto:info@obmtec.com)  
I: [www.obmtec.com](http://www.obmtec.com)

